



KERALA WATER AUTHORITY
QUALITY CONTROL SUB DISTRICT LABORATORY
MULLASSERY, PAVARATTY-THRISSUR
Telephone No - 0487-2997763, E-mail - kwa.qcsl.pvty@gmail.com



Test Report

TC-10703

Test Report No.: KWA/QCSDL/PVTY-TSR/002728/2023

ULR No.: TC10703230000001453F

Report Date : 20/06/23


Customer Name & Address			1. Date of Receipt : 15/06/2023		
SALSABEEL GREEN SCHOOL KIRALLOOR, THRISSUR			2. Sampling done by : The Customer		
			3. UID No. of Sample: KWA/QCSDL/PVTY-TSR/S-002728/23		
			4. Source of Sample : Open Well		
			5. Sample condition : Good		
			6. Name of sample : Water		
			7. Sample Quantity : 2 litre		
			8. Test Performing Dates		
			From : 15/06/23 To : 19/06/23		
SL No.	Characteristics	Unit	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Turbidity	(NTU)	IS 3025 (part 10) - 1984 (Reaffirmed 2017) Nephelometric method	1	0.58
2	pH at 25°C		IS 3025 (part 11) - 2022 Electrometric method	6.5 to 8.5	5.70
3	Total Hardness (as Ca CO ₃)	(mg/litre)	IS 3025 (part 21) - 2009 (Reaffirmed. 2019) EDTA Titration method	200	22.99
4	Chloride (as Cl)	(mg/litre)	IS 3025 (part 32) - 1988 (Reaffirmed. 2019) Argentometric titration	250	9.92

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Reviewed by:

Shamna Sulatman



Authorized By

Neethu Joy
Quality Manager,
Quality Control Sub District Laboratory
Kerala Water Authority
Mullassery Pavaratty - 660 507

Issue Date 10/01/2023	Issue No:2	KWA/QCSDL/PVTY-TSR/R.No:6
Rev.No: 00	Rev Date:00	Page 1 of 1

PRINCIPAL
SALSABEEL GREEN SCHOOL
KIRALLOOR

MANAGER
SALSABEEL GREEN SCHOOL
KIRALLOOR



KERALA WATER AUTHORITY
QUALITY CONTROL SUB DISTRICT LABORATORY, MULLASSERY
PAVARATTY, THRISSUR

Telephone No - 0487-2997763, E-mail - kwa.qcsl.pvty@gmail.com

Test Report

Test Report. No : KWA/QCSDL/PVTY-TSR/002728/2023

Report Date : 20/06/2023

Customer Name & Address			1. Date of Receipt : 15/06/2023		
SALSABEEL GREEN SCHOOL KIRALLOOR, THRISSUR			2. Sampling done by : The Customer		
			3. UID No. of Sample : KWA/QCSDL/PVTY-TSR/S-002728/2023		
			4. Source of Sample : Open Well		
			5. Sample condition : Good		
			6. Name of sample : Water		
			7. Sample Quantity : 2 Litre		
			8. Test Performing Dates		
			From : 15/06/23 To : 19/06/23		
SL No.	Characteristics	Unit	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Electrical Conductivity	(micro mhos/cm)	IS 3025 (part 14) - 2013 (Reaffirmed 2019) Electrometric method	-	82.56
2	Iron (as Fe)	(mg/litre)	IS 3025 (part 53) - 2003 (Reaffirmed. 2019) 1,10 Phenanthroline method	1.0	BDL
3	Nitrate (as NO ₃)	(mg/litre)	APHA 4500 - NO ₃ B. Ultraviolet screening method	45	3.56

BDL: Below Detection Limit

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Reviewed by:

Shamna Sulaiman



Authorized By:

Atulhu Joy
Quality Manager,
Quality Control Sub District Laboratory
Kerala Water Authority
Mullassery Pavarratty - 680 507

Issue Date: 10/01/2023	Issue No: 2	KWA/QCSDL/PVTY-TSR/R.NO. 6
Rev.No: 00	Rev Date: 00	Page 1 of 1

Shamna Sulaiman
PRINCIPAL
SALSABEEL GREEN SCHOOL
KIRALLOOR

Atulhu Joy
MANAGER
SALSABEEL GREEN SCHOOL
KIRALLOOR



KERALA WATER AUTHORITY
QUALITY CONTROL SUB DISTRICT LABORATORY, MULLASSERY
PAVARATTY, THRISSUR

Telephone No - 0487-2997763, E-mail - kwa.qcsl.pvty@gmail.com

Test Report

Test Report No : KWA/QCSDL/PVTY-TSR/002728/2023

Report Date : 20/06/2023

SALSABEEL GREEN SCHOOL KIRALLOOR, THRISSUR			1. Date of Receipt : 15/06/23	
			2. Sampling done by : The Customer	
			3. UID No. of Sample : KWA/QCSDL/PVTY-TSR/002728/2023	
			4. Source of Sample : Open Well	
			5. Sample Condition : Good	
			6. Name of Sample : Water	
			7. Sample Quantity : 100ml	
			8. Test Performing Dates From : 15/06/23 To : 19/06/23	
SL No.	Parameters	Acceptable limits as per-IS 10500-2012	Test Method	Result
1	Total Coliforms	Shall not be detected / 100ml	IS 15185 : 2016 ISO 9308 - I : 2014	139
2	E. Coli	Shall not be detected / 100ml	IS 15185 : 2016 ISO 9308 - I : 2014	Nil

Remarks:-

NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Reviewed by:

Shamna Sulaiman

* End of Report *




Authorized By:

Neethu Joy
Quality Control Sub District Laboratory
Kerala Water Authority
Mullassery Pavaratty - 680 507

Issue Date: 10/01/2023	Issue No: 2	KWA/QCSDL/PVTY-TSR/R.NO: 6
Rev.No: 00	Rev Date: 00	Page 1 of 1

Shamna Sulaiman
PRINCIPAL
SALSABEEL GREEN SCHOOL
KIRALLOOR

Neethu Joy
MANAGER
SALSABEEL GREEN SCHOOL
KIRALLOOR



പ്രാഥമികാരോഗ്യകേന്ദ്രം
തീയതി: 13/03/2023

സാനിറ്ററി സർട്ടിഫിക്കറ്റ്

(1). LSGD-circular no.66562/Rc3/12/LSGD/dt.10.1.2013

(2). Service ACT-no.O-M-3/30892/12/DHS/Dt.6.6.2014

(3). No.16203/A-R(12)1/2013/ഉ.പ.വ/TVM/dt.8.4.2014

തൃശ്ശൂർ ജില്ലയിൽ വേലൂർ ഗ്രാമപഞ്ചായത്തിൽമി. രാമചന്ദ്രൻ..... പ്രദേശത്ത്
.....18/3/23..... കെട്ടിടത്തിൽ പ്രവർത്തിച്ചുവരുന്നഡബിൾ സ്റ്റോറി.....
.....ഗ്രീൻ സ്കൂൾ..... എന്ന സ്ഥാപനത്തിൽ13/3/23..... തീയതിയിൽ ഈ സ്ഥാപനത്തിലെ ഹെൽത്ത്
ഇൻസ്പെക്ടർ പരിശോധിച്ചു ടി യൂണിറ്റ്കുതിര-കെട്ടിയിൽ പ്രവർത്തിക്കുന്നു.....
.....ഡബിൾ സ്റ്റോറി.....പ്രിൻസിപ്പൽ.....ഡബിൾ സ്റ്റോറി.....ഗ്രീൻ സ്കൂൾ..... എന്ന
ആളുടെ ഉടമസ്ഥതയിലുമാണ്. യൂണിറ്റും പരിസരവും പരിശോധിച്ചപ്പോൾ സാനിറ്ററി കണ്ടിഷൻസ് തൃപ്തികരമെന്ന് ബോധ്യ
മായി വേലൂർ ഗ്രാമപഞ്ചായത്തിൽ നിന്ന് ലൈസൻസിനുവേണ്ടി താഴെപറയുന്ന വ്യവസ്ഥകൾക്കും നിബന്ധനകൾക്കും
വിധേയമായി സ്ഥാപനത്തിന് സാനിറ്ററി സർട്ടിഫിക്കറ്റ് അനുവദിക്കുന്നു.

1. പൊതുജനാരോഗ്യ ശല്യമുണ്ടാകാത്ത രീതിയിൽ സ്ഥാപനം പ്രവർത്തിയ്ക്കണം.
2. മാലിന്യം പൊതുജനാരോഗ്യത്തിന് ഹാനികരമാകാത്ത വിധത്തിൽ ശാസ്ത്രീയമായി നീക്കം ചെയ്യണം.
3. ജലശോതസും മറ്റും സാംക്രമിക രോഗങ്ങൾ ഉണ്ടാകാത്ത വിധത്തിൽ സംരക്ഷിക്കണം.
4. ഈ സ്ഥാപനത്തിൽ നിന്നും ജലം, വായു, ശബ്ദ മലിനീകരണം ഉണ്ടാക്കുന്ന പ്രവർത്തനം പാടില്ല.
5. സ്ഥാപനവും പരിസരവും സാംക്രമിക രോഗങ്ങൾ ഉണ്ടാകാത്ത രീതിയിൽ സംരക്ഷിക്കണം.
6. ജീവനക്കാർ സാംക്രമിക രോഗങ്ങളിൽ നിന്നും മുക്തരായിരിക്കേണ്ടതാണ്.
7. 'പുകയില മുക്തം' സൈൻബോഡ് പ്രദർശിപ്പിക്കേണ്ടതും സ്ഥാപനം പുകവലി മുക്തമെന്ന് ഉറപ്പുവരുത്തണം.
8. അന്യസംസ്ഥാന തൊഴിലാളികൾ സ്ഥാപനത്തിൽ ഉണ്ടെങ്കിൽ അടുത്തുള്ള പ്രാഥമികാരോഗ്യ കേന്ദ്രത്തിലെ റെഡിക്കൽ ഓഫീസറെ അറിയിക്കേണ്ടതാണ്.
9. പ്ലാസ്റ്റിക് മാലിന്യം പരിസരത്ത് കത്തിക്കുകയോ വലിച്ചെറിയുകയോ ചെയ്യരുത്. പ്ലാസ്റ്റിക് മാലിന്യം ശേഖരിച്ച് ശാസ്ത്രീയമായി സംസ്കരിക്കുക.
10. പൊതുജനാരോഗ്യനിയമം (MPH ACT/TCPH ACT), പഞ്ചായത്തീരാജ് നിയമവും ചട്ടങ്ങളും മറ്റ് ബന്ധപ്പെട്ട നിയമങ്ങളും നടപടിക്രമങ്ങളും പാലിച്ചിരിക്കണം.
11. ദാവിയിൽ എന്തെങ്കിലും തരത്തിലുള്ള വികസന പ്രവർത്തനങ്ങൾക്ക് ഈ ആഫീസിൽ നിന്നും ലഭിക്കുന്ന അനുമതിക്ക് വിധേയമായിരിക്കണം.
12. മുകളിൽ പറഞ്ഞ നിബന്ധനകളിൽ എന്തെങ്കിലും പാലിക്കാതെ വന്നാൽ മറ്റൊരു അറിയിപ്പും കൂടാതെ സാനിറ്ററി സർട്ടിഫിക്കറ്റ് റദ്ദ്ചെയ്യുന്നതാണ്.



[Signature]
PRINCIPAL
SALSABEEL GREEN SCHOOL
KIRALLOOR

[Signature]
ഹെൽത്ത് ഇൻസ്പെക്ടർ
കൂടുംബ ആരോഗ്യ കേന്ദ്രം വേലൂർ, തൃശ്ശൂർ
ഹെൽത്ത് ഇൻസ്പെക്ടർ
വേലൂർ പ്രാഥമികാരോഗ്യകേന്ദ്രം
MANAGER
SALSABEEL GREEN SCHOOL
KIRALLOOR